

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("20090177781").PN.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/10 11:38
S1	5950	configur\$ with (multi or multiple or many or several) near processor with system	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 11:58
S2	5832	configur\$ with (multi or multiple) near processor with system	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 11:58
S3	347	configur\$ with (multi or multiple or many or several) near processor with system same node	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 11:59
S4	22	configur\$ with (multi or multiple or many or several) near processor with system same node and channel with bandwidth and (direction or directional or one near way)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 12:03
S5	0	(communicate or communicating) with (plurality or multiple) near node same channel with bandwidth and (direction or directional or one near way) and transmit near buffer	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 12:25

S6	0	communicating with (plurality or multiple) near node same channel with bandwidth and (direction or directional or one near way) and transmit near buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 12:27
S7	2	(plurality or multiple) near node same channel with bandwidth and (direction or directional or one near way) and transmit near buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 12:27
S8	0	(plurality or multiple) with node same channel with bandwidth and (direction or directional or one near way) and transmit near buffer and destination near network near interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 12:34
S9	0	transmit near buffer and destination near network near interface and source near network near interface and node and processing near (node or element) and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 12:35
S10	0	transmit near buffer and destination near network near interface and source near network near interface and node and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 12:36
S11	1	transmit near buffer and destination near network near interface and source near network near interface and node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 12:36
S12	984	"709".clas. and configur\$ with (multi or multiple or many or several) near processor with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:47

S13	32	"709".clas. and configur\$ with (multi or multiple or many or several) near processor with system and processing near nodes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:48
S14	21	"709".clas. and configur\$ with (multi or multiple or many or several) near processor with system and processing near nodes and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:48
S15	0	"709/200".ccls. and configur\$ with (multi or multiple or many or several) near processor with system and processing near nodes and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:48
S16	0	"709/200".ccls. and configur\$ with (multi or multiple or many or several) near processor with system and processing near nodes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:49
S17	23	"709/200".ccls. and configur\$ with (multi or multiple or many or several) near processor with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:49
S18	29	"709/218".ccls. and configur\$ with (multi or multiple or many or several) near processor with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:49
S19	6	370/468.ccls. and configur\$ with (multi or multiple or many or several) near processor with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:49
S20	0	398/89.ccls. and configur\$ with (multi or multiple or many or several) near processor with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:50

S21	0	398/89.ccls. and configur \$ with (multi or multiple or many or several) near processor and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:50
S22	1	398/89.ccls. and (multi or multiple or many or several) near processor and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:50
S23	2	398/140.ccls. and (multi or multiple or many or several) near processor and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:51
S24	2	("7254142").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 05:48
S25	2	("5828835").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 05:54
S26	2	("5943150").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 06:20
S27	2	("5794062").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/06 12:09
S28	2	("6115580").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/06 12:09

S29	2	("7254142").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/06 12:38
S30	4	("7209916").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/06 13:04
S31	2	("20020032688").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/06 13:04
S32	2	("5828835").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/06 13:50
S33	2	("6373842").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/06 15:21

**EAST Search History (Interference)**

&lt; This search history is empty &gt;

**8/10/2009 12:05:28 PM**

C:\Documents and Settings\mmcleod\My Documents\EAST\Workspaces  
 \Application\_10815453.wsp